



AdditionalForm

AdditionalForm (additionalForm) (1.2.2) (BETA)


This field allows you to dynamically load additional dynamic forms!


 Strona główna

> Virtual panel 3 title

 Additional form name

1|

 Additional field 1 *

 Additional field 2

SEND FORM

Example:

```
{
  "size": "s12 m12",
  "type": "additionalForm",
  "id": "additionalForm",
  "hidden": false,
  "value": "",
```

```

"form_position": null,
"additional_fields": null,
"api_add_lang": false,
"api_watcher": {
  "delay_api": "",
  "fields": [
    {
      "field_id": "additionalFormName",
      "api": "/static/FORMS/API/additionalForms/additionalForm[${value}].json"
    }
  ]
}
}

```

Field requires 2 configuration options:

additional_fields

```

{
  "form_position": 9,
  "additional_fields":
  [
    {
      "size": "s12 m12",
      "type": "text",
      "id": "additional_nazwaOperacji",
      "label": "Nazwa operacji",
      "icon": "person",
      "validate": [
        "required"
      ],
      "hidden": false,
      "value": ""
    },
    {
      "size": "s12 m12",
      "type": "text",
      "id": "additional_opisProblemu",

```

```

"label": "Opis problemu",
"icon": "subject",
"validate": [
    "required"
],
"hidden": false,
"value": ""
},
{
    "size": "s12 m12",
    "type": "file",
    "id": "fileField",
    "label": "Załącznik",
    "validate": [
        ""
    ],
    "icon": "attach_file",
    "placeholder": "Załącznik...",
    "hidden": false
},
{
    "size": "s12 m12",
    "type": "file",
    "id": "fileField",
    "label": "Załącznik",
    "validate": [
        ""
    ],
    "icon": "attach_file",
    "placeholder": "Załącznik...",
    "hidden": false
},
{
    "size": "s12 m12",
    "type": "file",
    "id": "fileField",
    "label": "Załącznik",
    "validate": [
        ""
    ],

```

```
    "icon": "attach_file",
    "placeholder": "Załącznik...",
    "hidden": false
  }
]
```

form_position

index from which new fields are to be added

The "additional_form" mechanism is still in beta, so determining the order of the form may seem difficult.
...TODO...

Use cases:

For example, if any selection is to load an additional form from another file, we can use `api_watcher` and the `additionalForm` field.

Dynamically loaded forms currently do not support API dependencies.

The rest of the available parameters:

This field supports all parameters with ["Attributes available for each field"](#).

Revision #5

Created 10 November 2021 11:30:36 by editor

Updated 24 June 2022 09:56:01 by editor